SUBJECT INDEX

Agro, Lake 370
Aguarico, Rio 370
Alluvial sedimentation patterns 379–80
Altithermal 87
Altwas (California) 140
Aluminium levels and fire history 55
Amadeus Lake stratigraphy 382, 384, 385
Amargosa Desert 123–4
Amazon River (Peru) floodplain studies
  methods 364–6
  results
    ^{14}C data 367–70
    lithostratigraphy 366–7
Amino acid racemization dating 444
Añangucocho, Lake 370
Anhysteretic remanent magnetization (ARM) 82
Annecy, Lac d' 76
Antarctica *see* Ross Embayment
Antian 24, 30, 46, 48
Anza Borrega (California) 124
Archaeology, Palaeolithic 519–21
Arctic ice and global climate 275–7
Ardleigh 26
Artern Interglacial 37
Ascot Formation 422, 423, 436–7
Astronomical theory and climate 297–8
Atlantic Ocean and palaeotemperature
  dinocysts 268–70
  foraminifera 193–9
Auchencairn Bay sediment magnetic properties 74
Austdalsvatn pollen spectrum 102–3
Australia 375–6
Australia (Central)
  Quaternary/Holocene environment
    aridity evidence 387
    climate 379
    climate change 380–1
    floodplain behaviour 469–70
      grazing induced erosion 470–1
    floodplain characters 463–4
      fluvial landforms 464–9
    glacial activity 386–7
    sedimentation 380–1
      Lacustral phase 384–6
      Last Interglacial 381–3
      post Last Interglacial 383–4
Australia (coastline studies)
  dating methods for Last Interglacial 422–6
  geological setting 441–2
  localities studied
    Gulf of Carpentaria 452
    New South Wales 450–1
    Queensland 451–2
    South Australia 446–9
    Tasmania 450
    Victoria 449–50
    Western Australia 452–3
  sea level estimates for Last Interglacial 453–4
  stratigraphy
    Last Interglacial 426–31
    Late Pleistocene 431–3
    mid Pleistocene 424–6
    Plio-Pleistocene 422–4
  tectonic setting 420–2, 455–7
  temperature estimates for Last Interglacial 454–5
Australia (Southeastern)
  George Lake
    palynology 391–2
      Holocene 402–3
      Pleistocene 395–402
      Tertiary 392–5
    stratigraphy 382, 383, 384–5, 388
Australopithecus 483
Avalanche deposit studies 104–5

Bacons Castle Formation 150–3, 154–5, 163, 164, 166, 170
Baicaoyuan loess stratigraphy 3
Baituoshan Group 512
Bange Lake 495
Baoji, loess stratigraphy 6–20
Barbados sediment magnetic properties 77
Bassendean Sand 423
Bavelian 37, 42
Baventian 26, 30, 48
Bear Bluff Formation 164, 179
Beardmore Erosion Surface 216
Beaver Basin (Utah) 124, 142
Beaverdam Formation 150, 151, 154–5
Beck Ranch (Texas) 126
Beestonian 26
Bering Platform, Pliocene evolution 115
Bering Strait, opening of 243, 244
Bethany Formation 150, 151
Bibra Limestone 452–3
Biostratigraphic correlation *see* Dinoflagellates; Foraminifera; Molluscs; Palynology; Radiolaria; Vertebrates
Blancan Land Mammal Stage 115
Bonneville Basin (Utah) 122
Boreal Guests 330
Borntal Interglacial 37
Boxgrove 32
Bramertonian 26, 30, 46
Brandywine Formation 150, 151
Brazil, palaeoecology of 370–1
Breidamerkurjökull 338
Breidavik Group 179, 181
Bridgewater Formation 447
Broadmeadows 445
Broomfield 26
Brunswick Pebbly Sand 408
Butlers Shell Conglomerate 407, 408
Butley Red Crag 27

^{14}C *see* Radiocarbon
Cache Valley Formation 122
Calcite precipitation 208
Caledonia Fen 400
California, Pliocene evolution of 115
Caloosahatchee Formation 179
Cameron Inlet Formation 424
Canada *see* Wood Buffalo National Park
Cape York Peninsula 380
Carbon cycle
  controls on 283–5
  modelling 286–7
    experiments 287–8
    results 288–93
    results discussed 293–4
  timescale 285
Carbon dioxide
  climate effects 278–80
  weathering rates 283–5
Carnarvon Basin 422
Cashu, Lake 366, 367
Castlecliffian Stage 406–8
Cayo Agua Formation 179
Channel studies
  aggradation of Yangtze 529
  erosion modelling 530–4
  levee complexes 467–8

Charcoal and fire history 53–5
  methods of analysis 57–9
  results 60
  results discussed 65–8
Chenier formation 380
Chillesford Clay 26, 43
Chillesford Sand 26, 43
China
  archaeology 519–21
  climate studies
    Quaternary 482–3
    Recent 551–4, 547–8
  glaciation
    diamicton recognition 499–502
    geomorphology 487–93
    glacier cover 495–9
    history of study 485–7
    lake evidence 493–5
    sediment analysis 504–7
  loess stratigraphy 6–20
  palynology 537–8, 542–3
  permafrost studies 511–16
  phytogeographical regions 538
  river studies
    Yangtze 523–6, 529–35
    Yellow 480–1, 523–6
Chinchaga Formation 55
Chowan River Formation 150–3, 154–5, 163, 164, 166, 170, 179, 181
Christine Point Clay 452
Cibicides pachyderma 320–1
Cibicidoides spp. 207
Climate modelling
  Late Tertiary/Quaternary 297–8
    parameters 298–304
    results 304–12
    results discussed 312–14
  Pliocene
    Arctic ice effects 275–7
    carbon dioxide levels 278–80
    climate instability 278
    interhemispheric coupling 277
    ocean current effects 277–8
    orographic effects 275
    Pacific-Atlantic links 275
  Tertiary 128–9
Climate studies
  Pliocene 175, 200–3, 209–12, 219–20, 230–2, 235
    assorted proxy records 190–1
    foraminiferal indicators 193–9
    ostracode data 133–44
    pollen records 116–25
    tree ring analysis 547–8
    vertebrate records 125–6
  Quaternary
    China 482–3, 542–3
    Netherlands 24
    New Zealand 414–15
  Recent
    China 551–4
    Norway 87–90, 106–9, 109–11
  reconstruction via proxy data 77, 79
  see also Sea surface temperature
Coastal sedimentation patterns 380
Contorted Drift 338–41
Cora Island 344
Coralline Crag 24, 27, 28, 48
Crane Formation 45
Cromer Forest Bed 30–1, 43
Cromerian 26, 29, 30, 32, 34, 37, 49
Crotone 319, 321
Culture, Palaeolithic 520–1
Cypresshead Formation 164

Dabusun Lake 494
Daguan Lake 534
Dampier Limestone Formation 432, 445
Darling Fault 420
Decarbonation and carbon dioxide levels 283–5
Declination 355
Deformation till 347
Dendroclimatology *see* Tree ring analysis
Denial Bay 445
Deschutes (Oregon) 118
Detrital remanent magnetism (DRM) 351, 353
Diamicton recognition 499–502
Diatoms
  Pliocene 116, 120, 216–17
Dinoflagellate cysts
  distribution 259–60
  methods of study 260
    N. Atlantic species 260–1, 273
    palaeotemperature analysis 261–3
  results 263–8
  results discussed 268–70
Dominion Range Erosion Surface 216
Dongting Lake 535
Donnelly Ranch (Colorado) 126
Dulyn sediment magnetic properties, Llyn 78
Dunefields 378, 381
Duplin Formation 164, 165, 169, 179, 180

East Anglia
  Pliocene to Pleistocene
    biostratigraphy
      foraminifera 27–8
      molluscs 28–9
      palynology 23–7
      vertebrates 29–32
    correlation with Netherlands 47–9
    lithostratigraphy 43–5
      heavy mineral suites 46–7
Eastover Formation 150, 151
Eccentricity and insolation 308–14
Ecuador, palaeoecology of 370
Electron spin resonance dating 444–6
Ellergower Moss sediment magnetic properties 78
Enewetak Atoll 247
  sea level history 254–7
  stratigraphy 247–51
England *see* East Anglia
Erosion cell mosaics 468–9
Erosion and grazing 470–1
ESR 444–6
Estuarine sedimentation in China 523–6
Ethmodiscus 211
Ettadunna Beds 382
Evans Head 443
Evaporation: precipitation ratio 385
Eyre Lake stratigraphy 382
Eyre Peninsula 443

Fire history
  methods of analysis 57–9
  proxy measures 53–5
  Wood Buffalo National Park
    area studied 55–6, 59
    results of study 60–5
    significance of results 65–8
Flatiron Butte (Idaho) 142
Floodouts 468
Floodplain studies
  Amazon River
    methods 364–6
    results 366–70
  Central Australia
    behaviour 469–70
    characteristics 463–4
    effect of grazing 470–1
    landforms 464–9
Flora *see* Palynology, *also* Plant macrofossils
Fluvial studies
  landforms
    large scale 464–7
    medium scale 467–8
    small scale 468–9
  see also Yangtze River, *also* Yellow River
Foraminifera
  Crags 27–8
  Plio-Pleistocene 424

Pliocene 116
climatic interpretation 193–9
$\delta^{18}O$ record *see* Mediterranean; Southern Ocean
USSR 242
Frome Lake 385, 388

Gaupne Stadial 106
General Circulation Model (GCM) and Tertiary climate 128–9
Geochemistry and fire history 55
methods of analysis 59
results 65
results discussed 69–70
George Lake 391–2
pollen analyses
Holocene 402–3
Pleistocene 395–402
Tertiary 392–5
stratigraphy 382, 383, 384–5, 388
Geosol stratigraphy, Chinese loess 6–20
Glacial/interglacial amplitude cycle 169
Glaciation
Pliocene 116
$\delta^{18}O$ signal 320–1, 326–9
Quaternary
China, Tibetan Plateau 508–9
areal cover 495–9
diamicton recognition 499–502
geomorphology 487–93
sediment analysis 504–7
Glacier front oscillation
methods of study 90
results
avalanche data 104–5
lacustrine evidence 91–8
peat bog evidence 98–104
results discussed 105–11
Glaciotectonic deformation
classification 335–6
proglacial 336–8
subglacial 338–42
depositional mechanisms 345–7
styles 342–3
advance/retreat effects 344–5
strain estimation 343–4
strain patterns 343
Glanville Formation 445, 447
Glenns Ferry Formation 120, 141–2
Globigerina bulloides 320–1, 326–8
Globorotalia puncticulata and temperature 192
Glomsdalen peat 100–1
Grahamstown 443
Grandview (Idaho) 142
Grazing animals and erosion 470–1
Great Barrier Reef 443
Great Blakenham 341–2, 343
Gregory Lake 385, 388
Greigite 75
Guildford Formation 423

Haematite and magnetic measures 82
Haugabreen soil 102
Hautawa Shellbed 408
Haweran Stage 408, 409
Heavy mineral studies 47–9
Hindmarsh River 445
Høgemo Stadial 106
Holmstrømbreen 343
Holocene
Australia 402–3
China
climatic interpretation 542–3
estuarine sediments 523–6
pollen evidence 537
Norway 87–90, 106–9, 109–11
Hoskuldsvik basalts 181
Huckleberry Ridge Ash 142
Human evolution 483, 519
Hydrology of lakes 385–6
Hypsithermal 87

Ice rafted detritus (IRD)
methods of study 207
results 208–9
Inclination 355
Insolation and climate
factors affecting 297–8
modelling
parameters
earth-moon 301–3
planetary 298–301
parameters updated 303–4
results 304–12
results discussed 312–14
Interhemispheric coupling 277
Isothermal remanent magnetism (IRM) 82, 353
Italy 319, 321

Jackson Hole (Wyoming) 121
James City Formation 163, 164, 166, 170
Jostedalen glacier front oscillation
methods of study 90–1
results
avalanche data 104–5
lacustrine evidence 91–8
peat bog evidence 98–104
results discussed 105–11

Kai-iwi Siltstone 408
Kaimatita Pumice Sand 408
Kamchatka *see* Karaginsky Island
Karaginsky Island
geological setting 239–40
Pliocene
biostratigraphy 240–1
geochronology 241–3
palaeoceanography 243–4
Katapiri Formation 384
Kesgrave Formation 43–4, 44–5
Kettleman Hills (California) 119
Kirkcudbright Bay sediment magnetic properties 74
Kotupna phase 386
Kuranui Limestone 408

Lacustrine (lake) sediment analysis
Amazon (Peru)
methods 364–6
results 366–71
China 493–5
climate change indicators 381, 385–6
fire history records 55
methods of analysis 57–9
results 59
glacier oscillation records
methods of analysis 90
results 91–8
palaeomagnetism 75–80, 95–8
Pliocene ostracodes
characters 133
distribution and climate 134–5
ecology 144–5
morphology 136–9, 145–6
study areas 140–2
Laminated Diamicton 338–41
Landguard Formation 408
Lanzhou loess stratigraphy 3
Largs (Australia) 443, 445
Last Interglacial studies 201, 426–31
Lateral lakes 527
Latrobe Valley 396
Leake Lake 399
Leerdam Interglacial 37
Limoncocha, Lake 370
Lishi Loess 2, 519
Little Ice Age 88, 89, 105–6
Little Oakley Sands and Silts 26, 29, 31, 44
Liverpool Bay sediment magnetic properties 74
Lodgement till 345
Loess stratigraphy
Baoji 6–20
New Zealand 412–13

Longgan lake 534
Lowestoft Till 341–2
Ludham Crag 27
Ludhamian 24, 46, 48
Lufeng Sivapithecus 483
Luochuan loess 3, 79
Lynch's Crater stratigraphy 382, 384, 386

Maassluis Formation 34
MacLeod Lake 443
Magnetic properties of sediments
  interpretation 73–80
  problems of analysis 80–4
  stratigraphy
    Australian Last Interglacial 446
    Chinese loess 5, 21
    Mediterranean 323–6
    Norway 95–8
    Southern Ocean 207
    Tanganyika, Lake
      methods of analysis 352–60
      results 353–6
      results discussed 356–60
  susceptibility 353–4
Magnetite and magnetic measures 82
Makirikiri Tuff 408
Malakunanja 378
Malan Loess 2, 519
Mammals
  Pleistocene 29–32, 40–3
  Pliocene 115, 125–6
Mandurah 443
Mangahou Siltstone 408
Manu, Rio 365
Mary Ann Bay (Australia) 443, 445
Maxwell Formation 408
May, Cape 153, 158–9
Mediterranean
  Pliocene glaciation reconstruction 319–20
    climatic interpretations 328–31
    methods of analysis
      isotopic 320–1
      palynologic record compared 321
    stratigraphy
      lithology 321–2
      $\delta^{18}O$ 326–8
      palaeomagnetism 323–6
Megaripples 466
Mella Sand Formation 445
Melt-out till 345
Memana Formation 424
Meyer Desert Formation 216
Minim Cove (Australia) 443, 445
Modelling
  carbon cycle 286–94
  climate
    carbon dioxide levels 275–81
    insolation 297–315
  river channels 530–4
Molluscs
  Plio-Pleistocene 28–9, 34–40, 424, 436–7
  Pliocene, USSR 242
Moln Formation 179
Monsoon triangle 482
Montagu 445
Moraines and glacier oscillation 90, 98–9
  see also Push moraines
Moruya Beach 380
Morwell Swamp 395
Mount Mills Formation 216
Mowbray Swamp 445
Mpulungu Sub-Basin *see* Tanganyika, Lake
Murray River stratigraphy 383, 386

Nagar sediment magnetic properties, Loch 78
Napo, Rio 370
Natural remanent magnetism (NRM) 353
Neoglaciation 87
Neogloboquadrina pachyderma 207, 208
Netherlands, The
  Pliocene-Pleistocene
    biostratigraphy
      molluscs 34–40
      pollen 32–4
      vertebrates 40–3
    climate curve 24
    correlation with England 26, 47–9
    heavy mineral suites 46
    magnetostratigraphy 24
Nettlebed 26
New Zealand
  Quaternary climate 414–15
  Quaternary stratigraphy 405–6
    marine 406–9
    non-marine
      alluvial 412
      glacial 409–12
      loess 412–13
      volcanic 413–14
Newland Lake 445
Nigardsbreen soil 101–2
Noordbergum 32
North Sea Basin (South)
  correlations *see* East Anglia, *also* Netherlands
  stratigraphy 45–6
    magnetic stratigraphy 77
Norway *see* Jostedalen
Norwich Crag 27–8, 28–9, 43, 48
Notofagus 217
Nukumaru Limestone 408
Nukumaru Sand 408
Nukumaruan Stage 405–6

$\delta^{18}O$ Pliocene record
  Atlantic Ocean 167–9
  Mediterranean 320–1, 326–8, 330
  Southern Ocean
    methods of study 206–8
    results 208–9
    results discussed 209–12
Oak Grove Fork (Oregon) 116–18
Obliquity and insolation 308–14
Ocean currents and climate 277–8
Ohingaiti Sand 407, 408
Okehu Siltstone 408
Okiwa Group 408
Omar Formation 153, 156
Orangeburg Scarp 164, 176, 190
Orbital parameters and climate
  introduction 297–8
  modelling
    parameters
      earth-moon 301–3
      planetary 298–301
    parameters updated 303–4
    results 304–12
    results discussed 312–14
Orography and climate 275
Osborne Formation 422
Ostend (Norfolk) 32
Ostracodes Pliocene
  lacustrine
    characters 133
    distribution and climate 134–5
    ecology 144–5
    morphology 136–9, 145–6
    study areas
      Altwas 140
      Beaver Basin 142
      Flatiron Butte 142
      Grandview 142
      Sand Point 141–2
      Snake River Plians 141–2
      Verde Valley 140–1
  oceanic 175–6
Overflow channels 466
Owens Valley (California) 122–3
Oxygen isotope stratigraphy *see* $\delta^{18}O$
Øyastrondi avalanche deposits 105
Øystølsreset peat 103

Pacific Ocean
  Pliocene studies
  diatoms 116
    foraminifera 116
    glaciation 116
    radiolaria
      climatic significance 232–5
      methods of study 225–6
      results 227–32
    see also Enewetak Atoll
Pacific-Atlantic link and climate 275
Palaeoclimate *see* Climate
Palaeolithic in China 519–21
Palaeomagnetism *see* Magnetic properties
Palaeotemperature *see* Climate
Palynology and palaeoenvironment
  Holocene
    Australia 402–3
    Canada boreal forest fire history 55
      methods of analysis 57–9
      results 60–5
      results discussed 68–9
    China 537
      alpine plateau 542
      sub-tropical evergreen 540–1
      temperate broad leaved 538–40
      temperate desert 541–2
      temperate grassland 541
      temperature mixed conifer 537–8
  Pleistocene
    Australia 395–402
    England 24–6
    Netherlands 32–4
  Pliocene
    Australia 392–5
    England 24
    Mediterranean
      methods of analysis 321
      results 329–30
      results discussed 330–1
    USA
      East Coast 147–59
      West Coast 115, 116–25
Panama Isthmus 115, 275
Pastonian 26, 30, 48
PEACE programme 247
Peat bog analysis 99–104
Pedostratigraphic unit defined 3–5
Peelo Formation 42
Pelsaert Reef 443
Pengli Lake 534–5
Permafrost in China
  distribution 511–12
  reconstruction of Holocene 514–16
  reconstruction of Pleistocene 512–14
Perth Basin 420–2
Phytogeographical regions of China 538
Pinecrest Formation 179, 180
Plant macrofossils
  Antarctica 217
  USA 116–25
Planulina wuellerstorfi 207, 208
Plio-Pleistocene boundary
  Australia 422–4
  New Zealand 405–6
  North Sea 47
Pliocene
  climate and palaeoenvironment v–vi
    glaciation, Antarctica 215–16, 219–20
    indicators of climate *see* $\delta^{18}O$; Ostracodes, Palynology
      Radiolaria
    sea
      level changes *see* sea level
      surface temperature 191–3, 230–2, 235, 261–3
  East Anglia
    foraminifera 27
    heavy mineralogy 46
    molluscs 28
    pollen 24
  Netherlands
    heavy mineralogy 46
    pollen 32–3
Ploughing 346
Pogadroma Tillite 215
Pohu Lake 534
Point Ellen Formation 424
Pollen analysis *see* palynology
Port Adelaide 443
Port Fairy Calcarenite 449
Port Wakefield 443, 445
Post-detrital remanent magnetism (PDRM) 351, 353
Poyang Lake 535
Precession and insolation 308–14
Pre-Ludhamian 24
Pre-Pastonian 26, 30, 47, 48
Precipitation *see* Rainfall
PRISM v
Pukekiwi Shell Sand 408
Pulbeena Swamp 384
Push moraine
  classification
    antiformal 336
    end moraine 336–7
  formation 336
Putiki Shellbed 408, 409, 497

Qaidam Basin 494
Qarhan Salt Lake 494–5
Qinghai-Xizang Plateau
  climatic impact 482–3
  uplift 480–2
  see also Tibetan Plateau
Quinault Formation 118
Quistococha, Lake 366

Radiocarbon dating
  lake sediments
    Amazon floodplain 367–70
    Norway 95, 97
  palaeosols 88
  peat bogs 99–104
  problems in 378
Radiolaria
  Pliocene Pacific assemblage
    climatic significance 232–5
    methods of study 225–7
    results 227–32
Rainfall records and climatic change
  China 552–4
  USA 117
Ramapithecus 483
Rapanui Marine Sand 408
Raysor Formation 164, 166, 179, 180
Red Crag 27, 28, 29, 43, 48
Redcliffe 445
Rhode River 74, 76
Ringinglow Bog sediment magnetic properties 78
Ringold Formation 118
Rio Banano Formation 179
Rita Blanca (Texas) 126
Robe 443
Ross Embayment
  geological setting 215–16
  Sirius Group
    palaeoclimate interpretation 219–20
    palaeontology 216–19
    stratigraphy 216
  tectonic setting 220–1
Rotational remanent magnetization (RRM) 82
Rottnest Island 382, 443
Runmeng Lake 535

Safford Valley (Arizona) 125
Sale 443
San Simon Valley (Arizona) 125
Sand Point (Idaho) 141–2
Sand sheets 464–6
Sand threads 464–6
Sandsvora peat 103–4
Saturation isothermal remanent magnetism (SIRM) 81, 353

Scoat Tarn sediment magnetic properties 78
Scobicularia Crag 27
Scole 26
Sea level
  Holocene 530
  Last Interglacial 453–4
  Pliocene 254–7
    coastal evidence 163–7
    modelling 171–2
    $\delta^{18}O$ record 167–9, 209–10
    transgression chronology 169–71
Sea surface temperature
  Last Interglacial 433
  Pliocene 191–3, 230–2, 235, 261–3
Seafield Sand 408
Searles Lake 123
Sedimentation rates
  analysis 95
  effect of carbon dioxide 283–5
Shakespear Cliff Sand 408
Shark Bay 443, 445
Sherwood Sand 408
Shoreline studies *see* Australia
Sirius Group 189–90, 210, 211, 215, 216
  biostratigraphy 216–19
Siwalik Group 480
Skerdingsdalen avalanche deposits 104–5
SLEAD project 377
Smith's Knoll Formation 45
Snake River Plains (Idaho) 20, 141–2
Snow-gun hypothesis 210
Soils, buried 90
Sonoma (California) 119
Southern Ocean $\delta^{18}O$ records
  methods of study 206–8
  results 208–9
  results discussed 209–12
Spencer Gulf 443
Spitsbergen 343
Spørteggbreen 91
Sprongdalen
  avalanche deposits 105
  peat 100
Sterksel Formation 37
Stradbroke (Suffolk) 24
Stradbroke Island (Australia) 443
Strzelcki dunefield 387
Sugworth Channel 26, 29, 31, 44
Susceptibility 81
Sygneskardet peat 99–100

Tahoe, Lake 122
Taihu Lake 534
Tallygaroopna phase 386
Tamala Limestone Formation 425, 426, 438–9, 445, 453
Tambopata, Rio 365
Tamiami Formation 179, 180
Tanganyika, Lake 351
  palaeomagnetic study 352–3
    results 353–6
    results discussed 356–60
Tanna sediment magnetic properties, Loch 78
Tecwinot Formation 121
Tegelen Clay 41–3
Temperature estimates
  Holocene 551–2
  Last Interglacial 443, 454–5
  Pliocene 175–6, 191–3, 230–2, 235, 261–3
Temperature records and climate change 551–2
Terang Lake 401
Tewkesbury Formation 408
Thermoluminescence 446
Thurnian 24, 46, 48
Tibetan Plateau, glaciation of 508–9
  diamicton recognition 499–502
  geomorphology 487–93
  glacier cover 495–9
  history of study 485–7
  lacustrine evidence 493–5
  sediment analysis 504–7

Tiglian 32, 48
  molluscs 34–5, 36–7
  pollen 33
  vertebrates 42
Tjörnes Peninsula 179, 181, 199
Tools, Palaeolithic 520–1
Tourville Bay 445
Totora, Lake 366
Tower Hill 400
Traeth Dulas sediment magnetic properties 74
Tree ring analysis
  China 545–8
  Norway 89
Tres Chimbadas, Lake 366, 367
Trimingham 343
Tuftebreen soil 102
Tulelake (California) 118
Tunsbergdalen peat 101
Tyrrell Lake 385, 388

U-series dating 382
  Australian Last Interglacial 442–4
Urk Formation 42
USA Pliocene studies
  East Coast
    ocean temperatures 181–6
    oceanography 176–9
    palynomorphs 147–62
    sea level record 163–71
    stratigraphy 179–81
  West Coast
    ostracodes 133–44
    pollen 116–25
    vertebrates 125–6
USSR *see* Karaginsky Island
Uvigerina peregrina 320–1, 326–8, 330

Vanadium and fire history 55
Vanndalen peat study 100
Vanndalsvatret 90
  lake sediment stratigraphy 91
    accumulation rate 95
    moraines 98–9
    palaeomagnetism 95–8
    radiocarbon data 95
Varves and fire history 55, 65
Vegetation *see* Palynology, *also* Plant macrofossils
Verde Valley (Arizona) 124–5, 140–1
Vertebrates
  Pleistocene 29–32, 40–3
  Pliocene 125–6
Viscous remanent magnetism 354–5
Volcanism, Quaternary 413–14

Waalian 37
Waardenburg Interglacial 33
Wabasso Formation 164, 169
Waccamaw Formation 164, 170
Waipuna Conglomerate 408
Waipuru Ash 408
Waltonian Red Crag 24, 27, 48
Wanganui Series 407, 409
Wangoom Lake 398
Wangrah Creek 379
Warrnambool 443
Weathering rates and carbon dioxide 278–80, 283–5
Weinan loess stratigraphy 3
Westbury-sub-Mendip 31, 32
Westkapelle Ground Formation 45
Westmere Siltstone 408
Weybourne Crag 30
Willandra Lakes 384
Willandra lunettes 387
Windsor Formation 163, 164, 166, 170
Winterton Shoal Formation 45
Woakwine barrier 382
Woakwine Range 445
Wood Buffalo National Park
  fire history 55–6, 59–70
  natural vegetation 56–7

Woods Lake 385, 388
Wucheng Loess 1–2, 519
Wyrie Swamp 399

Xian loess stratigraphy 3
Xifeng loess
  magnetic properties 79
  stratigraphy 3

Yangtze River
  channel aggradation 529
  channel modelling 530–4
  estuary 523–6
  lake history 527, 534–5
Yarmouth Roads Formation 44, 46
Yellow River
  estuary 523–6
  terrace 480–1
Yoganup Formation 423
Yorktown Formation 150–3, 154–5, 163, 164, 165–6, 169, 179, 180–1, 199

Zacangcaka, Lake 495